



International
mains sockets
on demand:
CH, F, IT/Schuko

CablePort desk²

Technology meets design

Today conference and office furniture must feature mains, network and multimedia interfaces for the use of digital media.

The new CablePort desk² combines technology, functionality and a top design.

The plain style and the striking radius of the curving metal parts contribute to the unique design.

The flexible clamp mechanism of the CablePort desk² guarantees its universal use in the modern office world.

Mains and data cables can thus be fixed to the desktop as required, without causing any damages.

A cable chain guides the cables from the desk to the floor box or wall channel.

- Individual configuration possible with Konnect flex 45 click multimedia adapter plates (7464 000 xxx)
- Integration of media control, USB charger etc. possible
- Available in two different lengths - max. 4 or 6 mains sockets
- Anodized aluminium or powder-coated steel
- On demand with international mains sockets
- Fit for the future, new components can be integrated
- Concealed clamps for easy anti-slip mounting on desktops 10 - 60 mm thick
- Mains cable 1 m, GST 18 plug



For desktops 10 - 60 mm

**Quality
made
in
Germany**
by Kindermann

CablePort desk², 6-fold

- Anodized aluminium
- Rear side powder-coated, white, RAL 9003



- Powder-coated, slate gray, RAL 7015
- Rear side powder-coated, white, RAL 9003



CablePort desk², 4-fold



CablePort desk²

Pre-configured and ready for use

CablePort desk²

6-fold for Quickselect 3.0



CablePort desk² / 6-fold for Quickselect 3.0

Width	331 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	2 x mains 1 x VGA (HD15) 1 x audio jack (3.5 mm stereo) 1 x HDMI 1 x USB type A 1 x cat-6 all with cable+plug, 1 m, socket / plug 3 x stainless steel button with blue LED light ring, inkl. 3 m control line with open ends

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 008

Aluminium, anodized

Ref. No. 7430 000 018

CablePort desk²

4-fold



CablePort desk² / 4-fold

Width	241 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	2 x mains 1 x VGA 1 x HDMI 1 x audio jack (3.5 mm stereo) 1 x cat-6 (RJ45) all with cable+plug, 1 m, socket / plug

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 004

Aluminium, anodized

Ref. No. 7430 000 014

CablePort desk²

6-fold



CablePort desk² / 6-fold

Width	331 mm
Dimensions	99 x 124 mm (H x D)
Pre-mounted with	3 x mains 1 x VGA 1 x HDMI 1 x audio jack (3.5 mm stereo) 1 x USB, 2.0 (type A) 2 x cat-6 (RJ45) all with cable+plug, 1 m, socket / plug

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 006

Aluminium, anodized

Ref. No. 7430 000 016

CablePort desk²

For individual configuration

CablePort desk²

4-fold



CablePort desk² / 4-fold

Width	241 mm				
Dimensions	99 x 124 mm (HxD)				
Pre-mounted with	Empty casing 4 x empty	1 x mains 3 x empty	2 x mains 2 x empty	3 x mains 1 x empty	4 x mains

Powder-coated, slate grey (RAL 7015)

Ref. No.	7430 000 070	7430 000 071	7430 000 072	7430 000 073	7430 000 074
----------	--------------	--------------	--------------	--------------	--------------

Aluminium, anodized

Ref. No.	7430 000 050	7430 000 051	7430 000 052	7430 000 053	7430 000 054
----------	--------------	--------------	--------------	--------------	--------------

CablePort desk²

6-fold



CablePort desk² / 6-fold

Width	331 mm					
Dimensions	99 x 124 mm (HxD)					
Pre-mounted with	1 x mains 5 x empty	2 x mains 4 x empty	3 x mains 3 x empty	4 x mains 2 x empty	5 x mains 1 x empty	6 x mains

Powder-coated, slate grey (RAL 7015)

Ref. No.	7430 000 081	7430 000 082	7430 000 083	7430 000 084	7430 000 085	7430 000 086
----------	--------------	--------------	--------------	--------------	--------------	--------------

Aluminium, anodized

Ref. No.	7430 000 061	7430 000 062	7430 000 063	7430 000 064	7430 000 065	7430 000 066
----------	--------------	--------------	--------------	--------------	--------------	--------------



Accessories for CablePort desk²

Specification	Ref. No.
Deposit tray for signal management components, e. g. Quickselect 3.0, easy mounting on the table clamp of the CablePort desk ²	7446 000 021
Colour: white, RAL 9003	
Recommended maximum size of unit: 223 x 124 x 35 mm (WxDxH)	
Outer dimensions: 331 x 239 x 40 mm (WxDxH)	

CablePort desk²

With USB charger - for individual configuration

CablePort desk²

4-fold



CablePort desk² / 4-fold

Width	241 mm	
Dimensions	99 x 124 mm (HxD)	
Version	USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA)	
Pre-mounted with	1 x mains 1 x USB charger 2 x empty	2 x mains 1 x USB charger 1 x empty
Powder-coated, slate grey (RAL 7015)		
Ref. No.	7430 000 171	7430 000 172
Aluminium, anodized		
Ref. No.	7430 000 151	7430 000 152

CablePort desk²

6-fold



CablePort desk² / 6-fold

Width	331 mm		
Dimensions	99 x 124 mm (HxD)		
Version	USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA)		
Pre-mounted with	1 x mains 1 x USB charger 4 x empty	2 x mains 1 x USB charger 3 x empty	3 x mains 1 x USB charger 2 x empty
Powder-coated, slate grey (RAL 7015)			
Ref. No.	7430 000 181	7430 000 182	7430 000 183
Aluminium, anodized			
Ref. No.	7430 000 161	7430 000 162	7430 000 163

Compatible accessories

Cable snake Pro - A very stable floor channel for areas with a large number of people.

- Rounded surface
- Cables can be installed without tools (zip fastener principle)
- Tread protection up to 80 kg extended, 120 kg compressed
- Length extended 100 cm, compressed 70 cm (34 chain elements)
- 90 x 24 mm (BxH)

Illustration	Model	Specification	Ref. No.
	Cable snake Pro	black, RAL 9005	7443 000 312
		silver, RAL 9006	7443 000 313

For further accessories, see page 79.



CablePort desk² 80

CablePort desk² 80

Expansion of the product family

- For mounting on cable feedthroughs with 80 mm diameter
- Easy and comfortable to install
- No additional cut in desktop needed
- For desktops 8 - 50 mm thick

Quality
made
in
Germany
by Kindermann



CablePort desk² 80 turn

Expansion of the product family

- Optional accessory for CablePort² 80
- Rotatable up to +/- 150°, 30° steps, height 25 mm, -8° tilted
- Diameter: 100 mm
- For desktops 8 - 50 mm thick



CablePort desk² 80 turn

7430 000 200



Connector for cable snake Classic/Pro

7430 000 201



CablePort desk² 80
with turn option

CablePort desk² 80

Pre-configured and ready for use

CablePort desk² 80

4-fold, pre-configured



CablePort desk² 80 / 4-fold, pre-configured

Width	241 mm
Dimensions	100 x 126 mm (H x D)
Pre-mounted with	2 x mains 1 x HDMI 1 x VGA (HD15) 1 x Audio jack 1 x Cat-6 1 x power cable GST18, 1 m

Powder-coated, slate grey (RAL 7015)

Ref. No. 7430 000 204

Aluminium, anodized

Ref. No. 7430 000 214

CablePort desk² 80

4-fold, individual configuration, mains



CablePort desk² 80 / 4-fold, mains

Width	241 mm		
Dimensions	100 x 126 mm (H x D)		
Pre-mounted with	1 x mains 3 x empty 1 x power cable GST18, 1 m	2 x mains 2 x empty 1 x power cable GST18, 1 m	3 x mains 1 x empty 1 x power cable GST18, 1 m

Powder-coated, slate grey (RAL 7015)

Ref. No. 7430 000 251 7430 000 252 7430 000 253

Aluminium, anodized

Ref. No. 7430 000 271 7430 000 272 7430 000 273

CablePort desk² 80

4-fold, individual configuration, USB, mains



CablePort desk² 80 / 4-fold, USB

Width	241 mm
Dimensions	100 x 126 mm (H x D)
Pre-mounted with	2x mains, 1 x USB charger 2 USB-A (f) 5V/1,5 A, 1 x power cable GST18, 1 m

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 352

Aluminium, anodized

Ref. No. 7430 000 372