

Rittal – The System.

Faster – better – everywhere.

Switch housings Stainless steel – SM 2384.020

Date : Feb 11, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Switch housings Stainless steel – SM 2384.020

created: 11.02.2021 on www.rittal.com/com-en



Product description

Material:	Enclosure: Stainless steel 1.4301 (AISI 304) Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal
------------------	---

Surface finish:	Enclosure and cover: Brushed, grain 240
------------------------	---

Protection category IP to IEC 60 529:	IP 66
--	-------

Protection category NEMA:	NEMA 4X
--------------------------------------	---------

Supply includes:	Enclosure with cover Quick-release fastener including plastic bushes
-------------------------	---

Basic material:	Stainless steel
------------------------	-----------------

Product description

Dimensions:	Width: 160 mm Height: 100 mm Depth: 90 mm
--------------------	---

Pitch pattern:	60 mm
-----------------------	-------

Material thickness:	Enclosure: 1.25 mm Cover: 1.25 mm
----------------------------	--------------------------------------

No. of switch cut-outs Ø 22.5 mm:	2
--	---

Lock version:	Quick-release fastener including plastic bushes
----------------------	---

Number of locks:	4
Packs of:	1 pc(s).
Weight/pack:	0.6 kg
EAN:	4028177529410
Customs tariff number:	94039010
ETIM 7.0:	EC000261
ETIM 6.0:	EC000261
eCl@ss 8.0/8.1:	27180101
eCl@ss 6.0/6.1:	27180101
Product description:	SM Switch housing, WHD: 160x100x90 mm, Stainless steel 1.4301, without mounting plate, 2 switch cut-outs
Approvals	
Approvals:	RRR
Certificates:	EAC
Declarations:	Declaration of conformity