

# Delock M12 T-Splitter A-coded 4 pin 1 x female to 2 x female parallel connection

## Description

This industrial T-splitter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



**Item no. 60579**

EAN: 4043619605798

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x M12 A-coded 4 pin female
  - 2 x M12 A-coded 4 pin female
- Housing material: PVC
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67
- Thread size: M12 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 51 x 43 x 13 mm


## System requirements

- Three free M12 plug

## Package content

- T-splitter

## Images



## Interface

|              |                |
|--------------|----------------|
| Connector 1: | 1 x M12 female |
| Connector 2: | 2 x M12 female |

## Technical characteristics

|                      |       |
|----------------------|-------|
| Operating voltage:   | 250 V |
| Current consumption: | 4 A   |

## Physical characteristics

|                   |       |
|-------------------|-------|
| Housing material: | PVC   |
| Length:           | 51 mm |
| Width:            | 43 mm |
| Height:           | 13 mm |
| Colour:           | black |
| Thread type:      | M12   |