



# Delock 5.25" Front Panel with 2 x SuperSpeed USB (USB 3.2 Gen 1) Type-A ports

## Description

This SuperSpeed USB (USB 3.2 Gen 1) Front Panel by Delock is made for installation into a free **5.25" bay** of a computer and can be connected internally to a free USB 3.0 pin header port.



## Specification

- Connectors:
  - external:  
2 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
  - internal:  
1 x 19 pin USB 3.0 pin header female port on the cable
- Data transfer rate up to:  
SuperSpeed 5 Gbps,  
Hi-Speed 480 Mbps,  
Full-Speed 12 Mbps,  
Low-Speed 1.5 Mbps
- Material: metal
- USB 3.0 cable will be connected internally to a free 19 pin USB 3.0 pin header male port
- Cable length incl. connectors: ca. 80 cm

## System requirements

- PC with one free 5.25" bay
- Motherboard with a free 19 pin USB 3.0 pin header male

## Package content

- 5.25" front panel USB 3.0 with connecting cable
- Screws
- User manual

## Item no. 61005


EAN: 4043619610051

Country of origin: China

Package: • Retail Box



Images





|                               |                                                        |
|-------------------------------|--------------------------------------------------------|
| General                       |                                                        |
| Form factor:                  | 5.25"                                                  |
| Interface                     |                                                        |
| Connector 1:                  | 1 x 19 pin USB 3.0 pin header female port on the cable |
| Connector 2:                  | 2 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female       |
| Physical characteristics      |                                                        |
| Cable length incl. connector: | 80 cm                                                  |
| Material:                     | metal                                                  |
| Colour:                       | black                                                  |