

Delock Cable Twinax SFP+ male to SFP+ male 10 m

Description

This Twinax cable by Delock is used to connect devices to a switch with a SFP+ port or to connect two Ethernet switches.



10 m

Item no. 84219

EAN: 4043619842193

Country of origin: China

Package: Antistatic cover

Specification

- Connectors:
2 x SFP+ male
- Passive, low power consumption
- Data transfer rate:
Gigabit Ethernet up to 1 Gbps
10 Gigabit Ethernet up to 10 Gbps
- Compatible with SFP+ MSA, SFF-8431, SFF-8432
- Operating temperature: 0 °C ~ 70 °C
- Cable gauge: 24 AWG
- Colour: black
- Cable diameter: ca. 5.8 mm
- Cable length: ca. 10 m

System requirements

- A free SFP+ interface

Package content

- Twinax Cable

Interface

Connector 1:	1 x SFP+ male
Connector 2:	1 x SFP+ male

Technical characteristics

Data transfer rate:	Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 10 Gbps
Operating temperature:	0 °C ~ 70 °C

Physical characteristics

Cable diameter:	5,8 mm
Conductor gauge:	24 AWG
Length:	10 m
Colour:	black