

# Delock Optical Fiber Coupler SC Duplex female to SC Duplex female Single-mode metal

## Description

With this SC Duplex coupling by Delock, optical fiber male connectors can be easily connected to each other. The coupling enables a direct connection to the optical fiber cable and is suitable for simple mounting in optical fiber connection boxes, cabinets and patch panels.

### Protection by dust cover

The coupling is equipped with an appropriate cap to protect the sleeve from dust and to keep it clean.



**Item no. 86873**

EAN: 4043619868735

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x SC Duplex female >
  - 1 x SC Duplex female
- For single-mode fiber
- Ceramic sleeve
- With dust cover
- Mounting via metal holder or screws
- 2 x mounting holes
- Mounting hole diameter: 2.4 mm
- Pitch of screw hole: ca. 30.7 mm
- Panel cut-out (WxH): ca. 26.6 x 9.5 mm
- Operating temperature: -20 °C ~ 70 °C
- Material: metal
- Dimensions (LxWxH): ca. 34.7 x 27.5 x 9.3 mm

## System requirements

- A free SC Duplex male port

---

## Package content

- SC Duplex coupler

---

## Images



## Interface

|              |                      |
|--------------|----------------------|
| Connector 1: | 1 x SC Duplex female |
| Connector 2: | 1 x SC Duplex female |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Operating temperature: | -20 °C ~ 70 °C |
|------------------------|----------------|

## Physical characteristics

|           |         |
|-----------|---------|
| Material: | metal   |
| Length:   | 34.7 mm |
| Width:    | 27.5 mm |
| Height:   | 9.3 mm  |