

# Delock USB 5 Gbps Cable USB Type-C™ male to USB Type-C™ male for tethered shooting 1 m orange

## Description

This USB cable by Delock enables the connection between a device with a USB Type-C™ connector and a PC or a laptop equipped with a free USB Type-C™ port.

## Tethering Shooting

This cable enables a tethered shooting connection (cabled recordings) between a camera and a PC or laptop. During the tethering shooting, the pictures taken by the camera are transferred directly to the PC. The cable ensures fast and reliable data transfer.



**Item no. 87959**

EAN: 4043619879595

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:  
1 x USB 5 Gbps USB Type-C™ male  
1 x USB 5 Gbps USB Type-C™ male
- Data transfer rate up to 5 Gbps
- Cable gauge:  
28 AWG data line  
26 AWG power line
- Output current: up to 5 A
- Voltage: max. 20 V
- Performance: max. 100 W
- Cable diameter: ca. 5.5 mm
- Cable jacket material: TPE
- Colour: orange
- Length: ca. 1 m

## System requirements

- PC or laptop with a free USB Type-C™ port
- Camera with a USB Type-C™ port and tethering support
- A tethering software e.g. Adobe Lightroom or Canon EOS Utility 3

---

## Package content

- USB 5 Gbps cable

---

## Images



## Interface

|              |                                 |
|--------------|---------------------------------|
| Connector 1: | 1 x USB 5 Gbps USB Type-C™ male |
| Connector 2: | 1 x USB 5 Gbps USB Type-C™ male |

## Technical characteristics

|                     |        |
|---------------------|--------|
| Data transfer rate: | 5 Gbps |
|---------------------|--------|

## Physical characteristics

|                  |                                       |
|------------------|---------------------------------------|
| Conductor gauge: | 28 AWG data line<br>26 AWG power line |
| Material:        | TPE                                   |
| Length:          | 1 m                                   |
| Colour:          | orange                                |
| Cable diameter:  | 5.5 mm                                |