

## ST Duplex Adapter with Metal Housing



### Description

- With 2 M2 x 10 screws
- Hole pattern: SC duplex

### General data

|                                |              |
|--------------------------------|--------------|
| Type of connector connection 1 | ST-duplex    |
| Type of connector connection 2 | ST-duplex    |
| Design                         | SC-duplex    |
| Dust cover                     | Ja           |
| Accessories                    | Metric Screw |

### Mechanical characteristics

|                   |            |
|-------------------|------------|
| Housing material  | metal      |
| Type of fastening | screw/lock |
| Sleeve material   | ceramic    |

### Dimensions

|        |         |
|--------|---------|
| Length | 29,4 mm |
| Width  | 34,7 mm |
| Height | 9,3 mm  |

### Environmental conditions

|                       |             |
|-----------------------|-------------|
| Operating Temperature | -40 – 85 °C |
| Storage temperature   | -40 – 85 °C |

### Standards, approvals, certifications

|                     |            |
|---------------------|------------|
| Conform to Standard | IEC61754-2 |
|---------------------|------------|


This datasheet was created automatically on 18-02-2020 . Technical changes reserved.

## ST Duplex Adapter with Metal Housing

### Available variants

| Article no. | Title                                               | Colour | Suitable for type of fibre | Type  | Insertion loss 1310nm |
|-------------|-----------------------------------------------------|--------|----------------------------|-------|-----------------------|
| 53313.34    | ST dpx. adapter Singlemode sleeve ceramic, metal h. | metal  | Singlemode                 | ST/PC | < 0,2dB               |

### Technical drawings



This datasheet was created automatically on 18-02-2020 . Technical changes reserved.

## ST Duplex Adapter with Metal Housing

### accessory

|             |                              |
|-------------|------------------------------|
| 80715.1-200 | Thread screw with nut M2 x 8 |
|-------------|------------------------------|

