

Philips 1000 series 24E1N1300A/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : Philips

Product family: 1000 series

Product code: 24E1N1300A/00

Product name :
24E1N1300A/00

Monitor 24E1N1300A Full HD LCD monitor

Philips 1000 series 24E1N1300A/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

This monitor is made to keep you connected. With features like USB-C 3.2 with power delivery, users can charge their linked device and work seamlessly, all with one cable. In addition, the singular cable makes for a clean workspace.

Philips 1000 series 24E1N1300A/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	HDCP	✓
Display resolution *	1920 x 1080 pixels	HDCP version	1.4
HD type *	Full HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	100 x 100 mm
Panel type *	IPS	Cable lock slot *	✓
Backlight type	W-LED	Cable lock slot type	Kensington
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	250 cd/m²	Tilt angle range	-5 - 20°
Response time *	4 ms	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Response time measurement type	GTG (Gray to Gray)		
Response time (MPRT)	1 ms		
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Flat	LED indicators	Operation, Stand-by
Contrast ratio (typical) *	1300:1	Power	
Maximum refresh rate *	100 Hz	Energy efficiency class (SDR) *	E
Viewing angle, horizontal	178°	Power consumption (typical) *	18.3 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours *	16.7 million colours	Power consumption (off)	0.3 W
Response time (fast)	1 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2745 x 0.2745 mm	AC input frequency	50/60 Hz
Pixel density	92.56 ppi	Power supply type	Internal
Vertical scan range	48 - 100 Hz	Operational conditions	
Viewable size, horizontal	52.7 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	29.6 cm	Storage temperature (T-T)	-20 - 60 °C
Display diagonal (metric)	60.5 cm		
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		

Display		Operational conditions	
Display sRGB	✓	Operating relative humidity (H-H)	20 - 80%
Performance		Operating altitude	0 - 3658 m
NVIDIA G-SYNC *	✗	Non-operating altitude	0 - 12192 m
AMD FreeSync *	✗	Weight & dimensions	
VESA Adaptive Sync support	✓	Width (with stand)	542 mm
Component video sync	Separate Sync	Depth (with stand)	180 mm
Flicker-free technology	✓	Height (with stand)	417 mm
Low Blue Light technology	✓	Weight (with stand)	3.41 kg
Multimedia		Width (without stand)	542 mm
Number of speakers	2	Depth (without stand)	45 mm
Built-in speaker(s) *	✓	Height (without stand)	316 mm
Built-in camera *	✗	Weight (without stand)	3.06 kg
Design		Packaging data	
Product colour *	Black	Package width	610 mm
Ports & interfaces		Package depth	124 mm
Built-in USB hub *	✓	Package height	370 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	5.26 kg
USB Type-A downstream ports quantity	2	Packaging content	
USB Type-C downstream ports quantity	1	Stand included	✓
USB Type-C DisplayPort Alternate Mode	✓	Cables included	HDMI, Power, USB Type-C
USB Power Delivery (USB PD)	✓	Manual	✓
USB Power Delivery up to	65 W	Sustainability	
HDMI *	✓	Doesn't contain	Mercury, PVC/BFR
HDMI ports quantity	1	Other features	
HDMI version	1.4	Exterior finish type	Textured
Audio output	✓	Picture enhancement	SmartImage game
		Regulatory Approvals	CB; CE Mark; ICES-003; TUV/ISO9241-307; TUV-BAUART; EAC; FCC; VCCI; PSB; PSE
		EasyRead mode	✓
		LowBlue mode	✓
		Mean time between failures (MTBF)	50000 h
		Recycling data	
		Recyclable packaging material	100%



8712581803513

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.