




D-Link DGS-105 Unmanaged L2 Gigabit Ethernet (10/100/1000) Black

Brand : D-Link

Product code: DGS-105/E

Product name : DGS-105

DGS-105 - 5-Port 10/100/1000 Gigabit Metal Housing Desktop Switch, Auto MDI/MDIX, Full/half-duplex, Jumbo Frames, 10 Gbps, QoS, Black
D-Link DGS-105. Switch type: Unmanaged, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack



Management features		Operational conditions	
Switch type *	Unmanaged	Operating temperature (T-T)	0 - 50 °C
Switch layer	L2	Storage temperature (T-T)	-10 - 70 °C
Quality of Service (QoS) support	✓	Operating relative humidity (H-H)	10 - 90%
Ports & interfaces		Storage relative humidity (H-H)	5 - 90%
Basic switching RJ-45 Ethernet ports quantity *	5	Weight & dimensions	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Width	100 mm
Power connector	DC-in jack	Depth	98 mm
Network		Height	28 mm
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Weight	267 g
Copper ethernet cabling technology	1000BASE-T, 100BASE-TX, 10BASE-T	Packaging data	
Full duplex	✓	Package width	170 mm
Flow control support	✓	Package depth	220 mm
Auto MDI/MDI-X	✓	Package height	62 mm
Data transmission		Package weight	450 g
Supported data transfer rates	10/100/1000 Mbps	Technical details	
Switching capacity *	10 Gbit/s	Shipping (inner) case height	36.6 cm
MAC address table *	2000 entries	Shipping (inner) case width	23 cm
Store-and-forward	✓	Shipping (inner) case length	33.5 cm
Maximum data transfer rate	1 Gbit/s	Shipping (inner) case net weight	5 kg
Jumbo frames support	✓	Products per shipping (inner) case	10 pc(s)
Packet buffer memory	0.128 MB	Pallet gross weight (air)	439.8 kg
Security		Master (outer) cases per pallet (air)	75 pc(s)
MAC address filtering	✓	Products per pallet (air)	750 pc(s)
Design		Pallet gross length	120 cm
Rack mounting *	✗	Pallet gross width	110 cm
Product colour	Black	Pallet height (air)	2.04 m
Housing material	Metal	Pallet gross weight (sea)	439.8 kg
Performance		Master (outer) cases per pallet (sea)	75 pc(s)
Mean time between failures (MTBF)	1688338 h	Products per pallet (sea)	750 pc(s)
		Pallet height (sea)	2.04 m
		Shipping (inner) case gross weight	5.53 kg
		Certificates	
		Certification	FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB, RoHS

Power		Logistics data	
Input current	1 A	Harmonized System (HS) code	85176990
Input voltage	5 V		
Power consumption (typical)	2.1 W		
Other features			
Data transfer rate	2000 Mbit/s		
Dimensions (WxDxH)	100 x 98 x 28 mm		
Connectivity technology	Wired		



0790069368226



790069368226



7900693682268



5054484711827

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.