

Philips 8000 series PerfectCare PSG8050/30 Steam Generator

Brand : Philips

Product family: 8000 series

Product code: PSG8050/30

Product name : PerfectCare
8000 Series PSG8050/30 Steam
Generator

- Intelligent automatic steam
 - Ultra-powerful steam
 - SteamGlide Elite soleplate
 - 1.8 l detachable water tank
 - Auto-shut off
 - Safety carry lock
 - Guaranteed no burns
 - Automatic vertical steam
 - Ultra-light iron
 - Easy De-Calc Plus
- Philips PerfectCare 8000 Series Steam Generator



Philips 8000 series PerfectCare PSG8050/30 Steam Generator:

Effortless ironing. fast results.

The iron that automatically steams for you

PerfectCare 8000 Series offers effortless ironing with our new motion sensor technology. It allows vertical and horizontal ironing with automatic steam.

Philips 8000 series PerfectCare PSG8050/30 Steam Generator. Iron power: 2700 W, Steam boost performance: 600 g/min, Soleplate type: SteamGlide Elite soleplate. AC input voltage: 220 - 240 V, Energy saving percentage: 22%. Cord length: 1.8 m, Hose length: 1.8 m. Width: 475 mm, Depth: 229 mm, Height: 288 mm. Warranty period: 2 year(s), Country of origin: Indonesia

Features		Features	
Iron power *	2700 W	User manual recycled paper	✓
Maximum steam pressure *	8 bar	Low water alarm	✓
Water tank capacity *	1800 L	Power	
Removable water tank	✓	AC input voltage	220 - 240 V
Steam boost function	✓	Energy saving percentage	22%
Heating time	2 min	Ergonomics	
Steam boost performance *	600 g/min	Cord length	1.8 m
Continuous steam	✓	Cord storage	✓
Continuous steam performance *	170 g/min	Hose length	1.8 m
Vertical steam function	✓	Hose storage	✓
Variable steam	✓	Built-in power plug	✓
Soleplate type *	SteamGlide Elite soleplate	Ultra-light design	✓
Product colour *	Purple	Weight & dimensions	
Colour name	None	Width	475 mm
Automatic anti-calc *	✓	Depth	229 mm
Auto power off	✓	Height	288 mm
Anti-scale system	✓	Weight	4.9 kg
Anti-drip function	✓	Iron weight	850 g
Extra large water inlet	✓	Technical details	
Suitable for tap water	✓	Dangerous goods	✗
Optimal TEMP technology	✓	Other features	
Refill any time	✓	Warranty period	2 year(s)
LED indicators	✓	Country of origin	Indonesia
Safe for all fabrics	✓		
Spray function	✗		
Calc clean reminder	Light and Sound		

Features		Packaging data	
Precision steam tip	✓	Package width	567 mm
Locking	✓	Package depth	327 mm
		Package height	350 mm
		Package weight	7.4 kg



8720389001086

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.