


Samsung QH75C Digital signage flat panel 190.5 cm (75") LCD Wi-Fi 700 cd/m² 4K Ultra HD Black Tizen 24/7



Brand : Samsung

Product family: QHC

Product code:
LH75QHCEBGCXEN

Product name : QH75C

- Ultra Slim Depth
- Even Bezel
- Centered VESA Holes

75", VA, LED, 4K UHD (3840 x 2160), 700 nit, 4000:1, 178/178, 8 ms, Bluetooth, WiFi, RJ-45, HDCP, DP, HDMI, RS232, AC 100-240V, 50/60Hz, 1682.3 x 960.4 x 28.5 mm, 34.6 kg

Samsung QH75C. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 700 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen. Product colour: Black

Display		Design	
Panel type	VA	Bezel width (bottom)	1.34 cm
LED backlight	✓	Bezel width (side)	1.34 cm
Display diagonal *	190.5 cm (75")	Bezel width (top)	1.34 cm
Display technology *	LCD	Bezel colour	Charcoal Black
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	700 cd/m ²	Purpose *	Universal
HD type *	4K Ultra HD	Operating hours (hours/days)	24/7
Touchscreen *	✗	HDCP	✓
Response time	8 ms	HDCP version	2.2
Contrast ratio (typical)	4000:1	Power	
Dynamic contrast ratio marketing name	Mega Contrast	Power consumption (typical) *	275 W
Viewing angle, horizontal	178°	Power consumption (sleep)	0.5 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Pixel pitch	0.429 x 0.429 mm	AC input frequency	50/60 Hz
Display diagonal (metric)	189 cm	Computer system	
Horizontal scan range	30 - 81 kHz	Operating system installed	Tizen
Vertical scan range	48 - 75 Hz	Operating system version	7.0
Haze rate	25%	Weight & dimensions	
Pixel frequency (max)	594 MHz	Display width	1682.3 mm
Colour gamut	72%	Display depth	28.5 mm
		Display height	960.4 mm
		Display weight	34.6 kg
Ports & interfaces		Packaging data	
HDMI ports quantity *	3	Package width	1839 mm
HDMI version	2.0	Package depth	180 mm
HDMI input ports quantity	3	Package height	1113 mm
DVI port *	✗	Package volume	45300 cm ³
DisplayPorts quantity *	1	Operational conditions	
DisplayPorts in	1	Operating temperature (T-T)	0 - 40 °C
DisplayPort version	1.2	Operating relative humidity (H-H)	10 - 80%
USB port *	✓	Certificates	
USB ports quantity	2	Certification	Class B 60950-1, 62368-1
Ethernet LAN (RJ-45) ports	2		
Audio (L/R) out	1		
RS-232 interface	✓		
Infrared data port	✓		

Design		Network	
Product design *	Digital signage flat panel	Ethernet LAN *	✓
Placement supported *	Indoor	Wi-Fi *	✓
Product colour *	Black	Features	
Screen shape	Flat	Suitable for indoor use	✓
VESA mounting *	✓	Other features	
Panel mounting interface	400 x 400 mm	Bluetooth	✓
		Flash memory	16000 MB
		Optional features	WMN-B50SC STN-L6585C



8806094974287

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.