

Viewsonic PX700HDHE data projector Standard throw projector 3700 ANSI lumens DMD 1080p (1920x1080) White



Brand : Viewsonic

Product code: PX700HDHE

Product name : PX700HDHE

- 3700 ANSI Lumens offering bright images in any environment
- 1080p Full HD resolution for captivating visuals
- Unveil hidden details with a high native contrast ratio achieved through the 0.65" DMD chip
- Up to 300" screen size to maximize fun at home
- Easy multimedia access via dual HDMI ports and USB-A power supply

3700 ANSI Lumens 1080p Home & Business Projector

Viewsonic PX700HDHE. Projector brightness: 3700 ANSI lumens, Projection technology: DMD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 20000 h. Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68, Zoom ratio: 0.8 - 2.0. Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232

Projector		Features	
Screen size (max)	7.62 m (300")	Noise level (economic mode)	27 dB
Projection distance	1 - 10.96 m	On Screen Display (OSD)	✓
Projector brightness *	3700 ANSI lumens	Number of OSD languages	24
Projection technology *	DMD	Noise level *	31 dB
Projector native resolution *	1080p (1920x1080)	Multimedia	
Contrast ratio (typical) *	15000:1	Built-in speaker(s) *	✓
Number of colours	1.07 billion colours	RMS rated power	10 W
Vertical scan range	23 - 120 Hz	Design	
Keystone correction, vertical	40°	Market positioning *	Home cinema
Light source		Product type *	Standard throw projector
Light source type *	Lamp	Product colour *	White
Service life of light source *	6000 h	Cable lock slot	✓
Service life of light source (economic mode)	20000 h	Cable lock slot type	Kensington
Lamp type	UHP	Display	
Lamp power	203 W	Built-in display *	✗
Lens system		Power	
Focal length range	22 - 24.1 mm	Power source *	AC
Aperture range (F-F)	2.56 - 2.68	Power consumption (typical) *	300 W
Zoom ratio	0.8 - 2.0	Power consumption (standby) *	0.5 W
Optical zoom	1.1x	AC input voltage	100 - 240 V
Throw ratio	1.49 - 1.64	AC input frequency	50/60 Hz
Offset	116%	Operational conditions	
Video		Operating temperature (T-T)	0 - 40 °C
Full HD *	✓	Weight & dimensions	
3D *	✗	Width	293 mm
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Depth	221 mm
Ports & interfaces		Height	115 mm
HDMI version	1.4	Weight *	2.4 kg
USB 2.0 Type-A ports quantity	1	Package width	365 mm
Serial interface type *	RS-232	Package depth	300 mm
HDMI ports quantity *	2	Package height	188 mm
DVI port *	✗	Package weight	3.5 kg
Network		Packaging content	
Smart TV *	✗	Remote control included *	✓
		Cables included	AC

Storage		Packaging content	
Card reader integrated *	✗	Quick start guide	✓
		Warranty card	✓
		Technical details	
		Compliance certificates	cTUVus
		Other features	
		Audio output	1



0766907033700



766907033700

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.