

Epson EB-L895U Standard throw projector 8000 ANSI lumens 3LCD WUXGA (1920x1200) Black

Brand : Epson

Product code: V11HB27140

Product name : EB-L895U

3LCD, 8000 lum, WUXGA, 16:10, 5000000:1, Laser, $\pm 30^\circ$, 1.07 bil, 50-500", 2.4 - 23.8 m, 388 W, 100-240 V, 50-60 Hz

Epson EB-L895U Standard throw projector 8000 ANSI lumens 3LCD WUXGA (1920x1200) Black:

The EB-L895U delivers 8,000 lumens, WUXGA resolution, HDR and advanced installation features. It provides up to 30,000 hours of maintenance-free projection in Eco mode. Featuring a fixed centre lens with manual lens shift, 1.6x zoom and 10W speakers, it's ideal for professional applications and offers flexible control options via HDBaseT, LAN and wireless.

Epson EB-L895U. Projector brightness: 8000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 20 - 31.8 mm, Zoom type: Manual. Supported graphics resolutions: 1920 x 1200 (WUXGA), Video colour modes: Cinema, DICOM simulation mode, Dynamic, Natural, Presentation. Serial interface type: RS-232C



Projector		Features	
Supported aspect ratios	16:10, 21:9	Screen mirroring	✓
Smart projector *	✓	Noise level *	36 dB
Screen size compatibility *	1270 - 12700 mm (50 - 500")	Air filter	✓
Projection distance (wide)	1.4 - 14.8 m	Multimedia	
Projection distance (tele)	2.4 - 23.8 m	Built-in speaker(s) *	✓
Projector brightness *	8000 ANSI lumens	RMS rated power	10 W
Projection technology *	3LCD	Design	
Projector native resolution *	WUXGA (1920x1200)	Market positioning *	Home cinema
Contrast ratio (typical) *	5000000:1	Product type *	Standard throw projector
Native aspect ratio *	16:10	Product colour *	Black
Number of colours	1.07 billion colours	Housing material	Plastic
Keystone correction, horizontal	30°	Placement	Ceiling, Desktop
Keystone correction, vertical	30°	Cable lock slot	✓
Light source		Cable lock slot type	Kensington
Light source type *	Laser	Display	
Service life of light source *	20000 h	Built-in display *	✓
Service life of light source (economic mode)	30000 h	Display	LCD
Lens system		Display diagonal	1.7 cm (0.67")
Focus *	Manual	Power	
Focal length range	20 - 31.8 mm	Power source *	AC
Zoom capability	✓	Power consumption (typical) *	388 W
Zoom type	Manual	Power consumption (standby) *	0.4 W
Zoom ratio	1.6:1	Power consumption (max)	450 W
Throw ratio	1.35 - 2.20:1	Power consumption (economy mode)	266 W
Horizontal lens shift range	0 - 20%	AC input voltage	100-240 V
Vertical lens shift range	0 - 50%	AC input frequency	50-60 Hz
Video		Operational conditions	
Supported graphics resolutions	1920 x 1200 (WUXGA)	Storage temperature (T-T)	-10 - 60 °C
Video colour modes	Cinema, DICOM simulation mode, Dynamic, Natural, Presentation	Operating relative humidity (H-H)	20 - 80%
Ports & interfaces		Storage relative humidity (H-H)	10 - 90%
HDBaseT port	✓		
Serial interface type *	RS-232C		

Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	1	Width	440 mm
DC-in jack	✓	Depth	340 mm
Network		Height	138 mm
Ethernet LAN *	✓	Weight *	8.5 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Wi-Fi *	✓	Remote control included *	✓
Miracast	✓	Batteries included	✓
Apple AirPlay 2 support	✓	Cables included	Power
Features		Technical details	
Noise level (economic mode)	26 dB	Sustainability certificates	TCO
		Other features	
		Connectivity technology	Wired
		Supported network protocols	HTTPS, SNMP, ESC/VP.net, PJLink



8715946737966

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.