

ASUS ProArt Display PA24ACRV computer monitor 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black

Brand : ASUS

Product family: ProArt

Product code: 90LM08Y0-B01M70

Product name : Display
PA24ACRV



- 23.8-inch QHD (2560 x 1440) LED backlight display with IPS 178° wide viewing angle panel
 - International color standard 95% DCI-P3 and 100% sRGB wide color gamut
 - Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
 - Extensive connectivity including DP over USB-C™ with 96W Power Delivery, DisplayPort (MST), HDMI and USB hub
 - Built-in Ambient Light Sensor synchronizes display brightness and color temperature with environment light changes
 - Ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
 - Green Sustainability: paper packaging and energy-efficient environmental standards
- ProArt Display PA24ACRV Professional Monitor – 24-inch (23.8-inch viewable), IPS, QHD (2560 x 1440), 95% DCI-P3, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C PD 96W, VESA DisplayHDR 400, VESA MediaSync, Ergonomic Stand, Green Sustainability

Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	USB Power Delivery up to	96 W
Display resolution *	2560 x 1440 pixels	HDMI *	✓
HD type *	Quad HD	HDMI ports quantity	1
Native aspect ratio *	16:9	HDMI version	2.0
Display technology *	LCD	DisplayPorts quantity	2
Panel type *	IPS	DisplayPort version	1.4
Backlight type	LED	Headphone out *	✓
Touchscreen *	✗	Headphone outputs	1
Display brightness (peak)	400 cd/m ²	HDCP	✓
Display brightness (typical)	350 cd/m ²	HDCP version	2.2
Response time *	5 ms		
Anti-glare screen	✓	Ergonomics	
Screen shape *	Flat	VESA mounting *	✓
Contrast ratio (typical) *	1000:1	Panel mounting interface	100 x 100 mm
Contrast ratio (dynamic)	3000:1	Wall mountable	✓
Maximum refresh rate *	75 Hz	Cable lock slot *	✓
Viewing angle, horizontal	178°	Cable lock slot type	Kensington
Viewing angle, vertical	178°	Height adjustment *	✓
Display number of colours *	16.7 million colours	Adjustable height (max)	13 cm
Pixel pitch	0.2058 x 0.2058 mm	Pivot	✓
Pixel density	123 ppi	Pivot angle	-90 - 90°
Viewable size, horizontal	52.7 cm	Swivelling	✓
Viewable size, vertical	29.6 cm	Swivel angle range	-30 - 30°
Digital horizontal frequency	15 - 135 kHz	Tilt adjustment	✓
Digital vertical frequency	48 - 75 Hz	Tilt angle range	-5 - 23°
Display diagonal (metric)	61 cm		
High Dynamic Range (HDR) supported	✓	Power	
		Energy efficiency class (SDR) *	E
		Energy efficiency class (HDR) *	G

Display		Power	
High Dynamic Range (HDR) technology	DisplayHDR 400, High Dynamic Range 10 (HDR10)	Energy consumption (SDR) per 1000 hours *	18 kWh
Colour gamut standard	DCI-P3	Energy consumption (HDR) per 1000 hours *	39 kWh
Colour gamut	95%	Power consumption (typical) *	15 W
sRGB coverage (typical)	100%	Power consumption (off)	0 W
Performance		Power consumption (PowerSave)	0.5 W
Flicker-free technology	✓	AC input voltage	100 - 240 V
Low Blue Light technology	✓	AC input frequency	50/60 Hz
Multimedia		Energy efficiency scale	A to G
Number of speakers	2	Weight & dimensions	
RMS rated power	4 W	Width (with stand)	539.6 mm
Built-in speaker(s) *	✓	Depth (with stand)	197.2 mm
Built-in camera *	✗	Height (with stand)	515.1 mm
Design		Weight (with stand)	5.6 kg
Market positioning *	Photo editing	Width (without stand)	539.6 mm
Product colour *	Black	Depth (without stand)	44.6 mm
Feet colour	Silver	Height (without stand)	322.2 mm
Ports & interfaces		Weight (without stand)	3.9 kg
Built-in USB hub *	✓	Packaging data	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package width	620 mm
Number of USB Type-C upstream ports quantity	1	Package depth	127 mm
USB Type-A downstream ports quantity	3	Package height	390 mm
USB Type-C downstream ports quantity	1	Package weight	8.1 kg
USB Type-C DisplayPort Alternate Mode	✓	Package type	Box
USB Power Delivery (USB PD)	✓	Sustainability	
		Sustainability compliance	✓
		Sustainability certificates	EPEAT Gold, Forest Stewardship Council (FSC) Mix, TCO



4711387308127



0197105308138



197105308138

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.