



InLine USB PD power supply, GaN charger, 5-port, USB-C + USB-A, 140W, w/display

Brand : InLine

Product code: 31553

Product name : USB PD power supply, GaN charger, 5-port, USB-C + USB-A, 140W, w/display

InLine USB PD power supply, GaN charger, 5-port, USB-C + USB-A, 140W, w/display
InLine USB PD power supply, GaN charger, 5-port, USB-C + USB-A, 140W, w/display. Charger type: Indoor, Power source type: AC, Charger compatibility: Universal. Maximum output voltage: 20 V. USB Type-C ports quantity: 3, Fast charging, Power protection features: Over voltage, Short circuit. Product colour: Black



Performance		Power	
Charger compatibility *	Universal	Output current (9V)	3 A
Power source type *	AC	Output current (12V)	3 A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Output current (15V)	3 A
USB Type-C ports quantity	3	Output current (20V)	5 A
Wireless charging	✗	Port 1 output current	5 A
Fast charging	✓	Port 2 output current	5 A
Fast charging technology	Quick Charge 3.0	Port 3 output current	5 A
Charger type *	Indoor	Port 4 output current	5 A
Number of simultaneously connected devices (max) *	5	Port 5 output current	5 A
USB Power Delivery (USB PD)	✓	Power consumption (no load)	0.22 W
USB Power Delivery revision	3.0	Average active efficiency	86,22 % (230 V, 50 Hz, USB-C1 + USB-C2 + USB-C3 + USB-A1 + USB-A2 5.0 V / 2.0 A + 5.0 V / 2.0 A + 5.0 V / 2.0 A + 5.0 V / 2.4 A + 5.0 V / 2.4 A) / 90,04 % (230 V, 50 Hz, USB-C1 + USB-C2 + USB-C3 + USB-A1 + USB-A2 20,0 V / 3.25 A + 20.0 V / 1.5 A + 15.0 V / 1.33 A + 5.0 V / 2.4 A + 5.0 V / 2.4 A)
Power protection features	Over voltage, Short circuit		
Design		Efficiency at low load (10%)	✓
Product colour *	Black	Efficiency (@10 %)	85.54%
Gallium nitride (GaN) transistors	✓	Weight & dimensions	
Power		Width	31 mm
Input current	2.5 A	Depth	79 mm
Maximum power	140 W	Height	86 mm
Maximum output voltage	20 V	Weight	289 g
Minimum output voltage	5 V	Packaging data	
AC adapter power	100 W	Package width	146 mm
Port 1 output power	100 W	Package depth	200 mm
Port 2 output power	100 W	Package height	49 mm
Port 3 output power	100 W		
Port 4 output power	100 W		
Port 5 output power	100 W		

Power		Packaging data	
Output current (5V)	3 A	Package volume	1400 cm ³
		Package weight	476 g
		Package type	Hanging box
		Certificates	
		Compliance certificates	CE
		Logistics data	
		Country of origin	China
		Other features	
		Dimensions (WxDxH)	31 x 79 x 86 mm



4043718334186

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.