

ASUS Prime -750G power supply unit 750 W 20+4 pin ATX ATX Black

Brand : ASUS

Product family: Prime

Product code: 90YE00U3-B0NA00

Product name : PRIME-750G

- 80 Plus & Cybenetics Gold certified: the result of low-ESR capacitors and other premium components.
- ATX 3.1 Compatible: Prime Gold series is compliant with ATX 3.1 guidelines and bundled with a 16-pin PCIe® cable that is compatible with PCIe Gen 5.1 graphics cards.
- Dual-ball fan bearings that can last up to twice as long as sleeve bearing designs.
- Fully modular etched cables keep your rig neat and tidy.

Prime 750W Gold Black Edition PSU brings efficient and durable power delivery to all-round PCs, and gaming rigs

ASUS Prime -750G power supply unit 750 W 20+4 pin ATX ATX Black:

Prime 750W Gold Black Edition

STELLAR

PERFORMANCE

A Prime Gold Black Edition power supply unit in a blue, space vibe background.

With 80 PLUS and Cybenetics Gold certification, Dual-ball fan bearings, and an 8-year warranty, the ASUS Prime series PSU brings efficient and durable power delivery to high-performance workstations, all-round PCs, and gaming rigs.



Power		Ports & interfaces	
Total power *	750 W	PCI Express power cable length	60 cm
AC input voltage *	100 - 240 V	CPU power connector (4+4 pin)	✓
Power Factor Correction (PFC) type	Active	Cabling type	Fully-Modular
Combined power (+3.3V)	110 W	Performance	
Combined power (+12V)	744 W	80 PLUS certification *	80 PLUS Gold
Combined power (+5V)	110 W	Purpose *	PC
Combined power (-12V)	3.6 W	Power supply unit (PSU) form factor *	ATX
Combined power (+5Vsb)	12.5 W	ATX version	3.1
Max output current (+3.3V)	20 A	Bearing technology	DBB
Max output current (+12V)	62 A	Mean time between failures (MTBF)	120000 h
Max output current (+5V)	20 A	Design	
Max output current (-12V)	0.3 A	Product colour	Black
Max output current (+5Vsb)	2.5 A	Cooling type	Active
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Number of fans	1 fan(s)
Ports & interfaces		Fan location	Top
Motherboard power connector *	20+4 pin ATX	On/off switch	✓
Motherboard power cable length	60 cm	Packaging content	
Number of SATA power connectors	5	Cables included	CPU, PCIe, Peripheral (Molex), SATA
SATA power cable length	400,120 mm	Weight & dimensions	
Peripheral (Molex) power connectors (4-pin) *	4	Width	150 mm
Peripheral (Molex) power cable length	400,150 mm	Depth	150 mm
PCI Express power connectors (6+2 pin)	2	Height	86 mm
PCI Express power connectors (16-pin)	1	Weight	1.45 kg
		Packaging data	
		Package width	320 mm
		Package depth	213 mm

Packaging data

Package height	113 mm
Package weight	2.74 kg
Package type	Box



4711636288354



0199291288355



199291288355

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.