



DELL Pro P 27 P2726H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: Pro P

Product code: DELL-P2726H

Product name : Pro P 27 P2726H

- 27" LCD IPS
- Full HD, 16:9, 1920 x 1080
- 120Hz, 5ms, 300cd/m²
- USB Hub

27", 1920 x 1080 Edge LED IPS, 120Hz, 16:9, 300cd/m², 5ms, 178°/178°

DELL Pro P 27 P2726H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

Equipped for seamless productivity, this 27-inch FHD monitor offers extensive connectivity, high refresh rate and TÜV-certified 4-star eye comfort.

DELL Pro P 27 P2726H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable management	✓
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	15 cm
LED backlight	✓	Pivot	✓
Backlight type	Edge LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	300 cd/m ²	Swivel angle range	-45 - 45°
Response time *	8 ms	Tilt adjustment	✓
Response time measurement type	GTG (Gray to Gray)	Tilt angle range	-5 - 21°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	Plug and Play	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	LED indicators	✓
Supported video modes	1080p, 720p, 576p, 480p	Power	
Contrast ratio (typical) *	1500:1	Energy efficiency class (SDR) *	C
Maximum refresh rate *	120 Hz	Energy efficiency class (HDR) *	Not available
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours *	14 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	13.5 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Response time (fast)	5 ms	Power consumption (max)	74 W
Pixel pitch	0.3114 x 0.3114 mm	Power consumption (off)	0.3 W
Pixel density	82 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 135 kHz	AC input frequency	50/60 Hz
Vertical scan range	48 - 120 Hz	Power supply type	Internal
Viewable size, horizontal	59.8 cm	Energy efficiency scale	A to G
Viewable size, vertical	33.6 cm	Operational conditions	
		Operating temperature (T-T)	0 - 40 °C

Display		Operational conditions	
Viewable size diagonal	68.6 cm	Storage temperature (T-T)	-20 - 60 °C
Surface hardness	3H	Operating relative humidity (H-H)	10 - 80%
sRGB coverage (typical)	99%	Storage relative humidity (H-H)	5 - 90%
Performance		Operating altitude	0 - 5000 m
NVIDIA G-SYNC *	✗	Non-operating altitude	0 - 12192 m
AMD FreeSync *	✗	Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	610.7 mm
Multimedia		Depth (with stand)	192.3 mm
Built-in speaker(s) *	✗	Height (with stand)	428.3 mm
Built-in camera *	✗	Weight (with stand)	6 kg
Design		Width (without stand)	610.7 mm
Product colour *	Black	Depth (without stand)	50 mm
Ports & interfaces		Height (without stand)	354.7 mm
Built-in USB hub *	✓	Weight (without stand)	4.36 kg
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Bezel width (side)	6.4 mm
USB upstream port type	USB Type-B	Bezel width (top)	6.4 mm
Number of downstream ports	4	Bezel width (bottom)	1.2 cm
Number of USB Type-B upstream ports quantity	1	Packaging data	
USB Type-A downstream ports quantity	2	Package weight	8.52 kg
USB Type-C downstream ports quantity	2	USB cable length	1.8 m
HDMI *	✓	Packaging content	
HDMI ports quantity	1	Stand included	✓
HDMI version	1.4	Cables included	DisplayPort, HDMI, USB Type-A to USB Type-B, AC
DisplayPorts quantity	1	DisplayPort cable length	1.8 m
DisplayPort version	1.4	HDMI cable length	1.8 m
Headphone out *	✗	Sustainability	
HDCP	✓	Sustainability certificates	ENERGY STAR, TCO
HDCP version	1.4	Doesn't contain	PVC/BFR, Mercury, Arsenic
Charging port type	USB Type-C	Other features	
Ergonomics		Compliance certificates	RoHS
VESA mounting *	✓		



5397321029489

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.