



DELL Pro Plus P2725D computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black, Silver

Brand : DELL

Product family: Pro Plus

Product code: DELL-P2725DHF

Product name : P2725D

DELL Pro Plus P2725D. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot type	Kensington
Display resolution *	2560 x 1440 pixels	Height adjustment *	✓
HD type *	Quad HD	Adjustable height (max)	15 cm
Native aspect ratio *	16:9	Pivot	✓
Display technology *	LCD	Pivot angle	-90 - 90°
Panel type *	IPS	Swivelling	✓
LED backlight	✓	Swivel angle range	-45 - 45°
Backlight type	Edge LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 21°
Display brightness (typical)	350 cd/m²	On Screen Display (OSD)	✓
Response time *	8 ms	Plug and Play	✓
Response time measurement type	GTG (Gray to Gray)	LED indicators	✓
Anti-glare screen	✓	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	E
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440	Energy efficiency class (HDR) *	Not available
		Energy consumption (SDR) per 1000 hours *	19 kWh
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (typical) *	18.8 W
Contrast ratio (typical) *	1500:1	Power consumption (standby) *	0.3 W
Maximum refresh rate *	100 Hz	Power consumption (max)	75 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50/60 Hz
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2331 x 0.2331 mm	Energy efficiency scale	A to G
Pixel density	109 ppi	Operational conditions	
Viewable size, horizontal	59.7 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	33.6 cm	Storage temperature (T-T)	-20 - 60 °C
Digital horizontal frequency	30 - 151 kHz	Operating relative humidity (H-H)	10 - 80%
Digital vertical frequency	48 - 100 Hz	Storage relative humidity (H-H)	5 - 90%
		Operating altitude	0 - 5000 m

Display		Operational conditions	
High Dynamic Range (HDR) supported	✗	Non-operating altitude	5000 - 12191 m
Surface hardness	3H	Weight & dimensions	
sRGB coverage (typical)	99%	Width (with stand)	612.5 mm
Performance		Depth (with stand)	192.2 mm
NVIDIA G-SYNC *	✗	Height (with stand)	535.7 mm
AMD FreeSync *	✗	Weight (with stand)	5.88 kg
Flicker-free technology	✓	Width (without stand)	612.5 mm
Low Blue Light technology	✓	Depth (without stand)	50 mm
Multimedia		Height (without stand)	356.6 mm
Built-in speaker(s) *	✗	Weight (without stand)	4.28 kg
Built-in camera *	✗	Bezel width (side)	7.88 mm
Design		Bezel width (top)	7.88 mm
Market positioning *	Office	Bezel width (bottom)	1.3 cm
Product colour *	Black, Silver	Packaging data	
Front bezel colour	Black	Package weight	8.67 kg
Detachable stand	✓	Packaging content	
Feet colour	Silver	Stand included	✓
Ports & interfaces		Cables included	AC, DisplayPort, USB Type-A to USB Type-B
Built-in USB hub *	✓	Power adapter included	✗
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Remote control included	✗
USB upstream port type	USB Type-B	Stylus included	✗
Number of USB Type-B upstream ports quantity	1	DisplayPort cable length	1.8 m
USB Type-A downstream ports quantity	3	Sustainability	
USB Type-C downstream ports quantity	1	Sustainability certificates	ENERGY STAR
HDMI *	✓	Doesn't contain	Arsenic, Halogen, Mercury, PVC/BFR
HDMI ports quantity	1	Carbon footprint	
HDMI version	2.1	Total carbon footprint (kg of CO2e)	210
DisplayPorts quantity	1	Carbon emissions, manufacturing (kg of CO2e)	93.03
DisplayPort version	1.4	Carbon emissions, logistics (kg of CO2e)	16.17
Headphone out *	✗	Carbon emissions, energy usage (kg of CO2e)	92.19
HDCP	✓	Carbon emissions, end-of-life (kg of CO2e)	8.61
HDCP version	1.4	PAIA version	GaBi version 1, 2024
Network		Other features	
Wi-Fi	✗	Compliance certificates	RoHS
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Wall mountable	✓		
Cable management	✓		
Cable lock slot *	✓		



5397184962824

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.