

ASUS ProArt OLED PA27UCDMR computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD LED Silver

Brand : ASUS

Product family: ProArt OLED

Product code: 90LM04NE-B01K71

Product name : PA27UCDMR

ProArt Display OLED PA27UCDMR Professional Monitor – 27-inch (26.5-inch viewable), 4K UHD (3840 x 2160), QD-OLED, Ultra-slim, 240Hz, 0.1ms, Auto Calibration, HDR-10, HLG, Dolby Vision, 99% DCI-P3, ΔE < 1, Thunderbolt 4 PD 96W, Calman Ready, ColourSpace Integration, Ergonomic Stand

ASUS ProArt OLED PA27UCDMR computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD LED Silver:

Professional OLED Monitor for Every Creators

ProArt Display OLED PA27UCDMR is a professional monitor designed for professional content creators. This 26.5-inch 4K HDR display boasts a cutting-edge 1000-nits QD-OLED panel with 99% DCI-P3 gamut, ensuring highly-accurate colors and exceptionally-detailed visuals. Its up to 240Hz refresh rate enables creators to develop fast-rendering games and perform artwork quality checks on a single display. Additionally, support for multiple HDR format makes PA27UCDMR the perfect monitor for working on fast-moving HDR content.



Display		Ports & interfaces	
Display diagonal *	67.3 cm (26.5")	HDMI version	2.1
Display resolution *	3840 x 2160 pixels	DisplayPorts quantity	1
HD type *	4K Ultra HD	DisplayPort version	1.4
Native aspect ratio *	16:9	Thunderbolt 4 ports quantity	2
Display technology *	LED	Headphone out *	✗
Panel type *	OLED	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Display brightness (peak)	1000 cd/m²	Ergonomics	
Display brightness (typical)	250 cd/m²	VESA mounting *	✓
Response time *	0.1 ms	Panel mounting interface	100 x 100 mm
Response time measurement type	GTG (Gray to Gray)	Wall mountable	✓
Anti-glare screen	✓	Cable lock slot *	✓
Screen shape *	Flat	Cable lock slot type	Kensington
Contrast ratio (typical) *	1500000:1	Height adjustment *	✓
Maximum refresh rate *	240 Hz	Adjustable height (max)	13 cm
Viewing angle, horizontal	178°	Pivot	✓
Viewing angle, vertical	178°	Pivot angle	-90 - 90°
Display number of colours *	1.073 billion colours	Tilt adjustment	✓
Pixel pitch	0.155 x 0.155 mm	Tilt angle range	-5 - 20°
Pixel density	166 ppi	Power	
Viewable size, horizontal	59 cm	Energy efficiency class (SDR) *	F
Viewable size, vertical	33.3 cm	Energy efficiency class (HDR) *	G
Digital horizontal frequency	15 - 583 kHz	Energy consumption (SDR) per 1000 hours *	25 kWh
Digital vertical frequency	48 - 240 Hz	Energy consumption (HDR) per 1000 hours *	29 kWh
High Dynamic Range (HDR) supported	✓	Power consumption (typical) *	25.3 W
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG), DisplayHDR 400 True Black		
Colour depth	10 bit		

Display		Power	
Colour gamut standard	DCI-P3, sRGB	Power consumption (standby) *	0.5 W
sRGB coverage (typical)	100%	Power consumption (off)	0 W
DCI-P3 coverage	99%	Power consumption (PowerSave)	0.5 W
Performance		AC input voltage	100 - 240 V
NVIDIA G-SYNC *	✗	AC input frequency	50/60 Hz
AMD FreeSync *	✗	Power supply type	Internal
VESA Adaptive Sync support	✓	Energy efficiency scale	A to G
Flicker-free technology	✓	Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	608 mm
Multimedia		Depth (with stand)	228 mm
Number of speakers	2	Height (with stand)	571 mm
RMS rated power	6 W	Weight (with stand)	7.2 kg
Built-in speaker(s) *	✓	Width (without stand)	608 mm
Built-in camera *	✗	Depth (without stand)	47 mm
Design		Height (without stand)	354 mm
Market positioning *	Graphics design	Weight (without stand)	4.7 kg
Product colour *	Silver	Packaging data	
Detachable stand	✓	Package width	690 mm
Feet colour	Silver	Package depth	275 mm
Ports & interfaces		Package height	550 mm
Built-in USB hub *	✓	Package weight	13.8 kg
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Package type	Box
USB Type-A downstream ports quantity	2	Packaging content	
USB Type-C downstream ports quantity	1	Stand included	✓
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	
USB Power Delivery (USB PD)	✓	Sustainability certificates	ENERGY STAR, EPEAT Gold, Forest Stewardship Council (FSC) Mix, TCO
USB Power Delivery up to	96 W	Other features	
HDMI *	✓	Warranty period	3 year(s)
HDMI ports quantity	1	Certification	Energy Star EPEAT Gold TCO Certified TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 400 True Black Calman Ready FSC MIX Mac Compliance



4711636190770



0199291190788



199291190788

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.