

ASUS ProArt PA278CGRV computer monitor 68.6 cm (27") 2560 x 1440 pixels Wide Quad HD LCD Silver

Brand : ASUS

Product family: ProArt

Product code: 90LM06Q1-B01K71

Product name : PA278CGRV

27" QHD 2560 x 1440 IPS, 1500:1, 144Hz, 5ms(GTG), DisplayPort, HDMI, USB-C, 20W, 100-240V, 50/60Hz

ASUS ProArt PA278CGRV computer monitor 68.6 cm (27") 2560 x 1440 pixels Wide Quad HD LCD Silver:

ASUS ProArt Display PA278CGRV Professional Monitor - 27-inch, IPS, 144Hz, QHD (2560 x 1440), 97% DCI-P3, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C PD 96W, Light Sync, Auto KVM, Ergonomic Stand, VESA DisplayHDR 400, ASUS DisplayWidget Center, Green Sustainability

All the Essentials for Pros

ProArt Display PA278CGRV is a 27-inch IPS QHD monitor tailored for creative professionals. 97% DCI-P3 color gamut, factory calibration to Delta E < 2, and Calman Verified for superb color accuracy. It features a 144 Hz VRR with AMD FreeSync for ultra-smooth visuals and introduces the new M Model color temperature for consistent P3 color on MacBooks. With DisplayPort, HDMI, plus USB-C port offers DisplayPort support and enables superfast data transfers and 96-watt power delivery via a single cable. It ensures seamless connectivity for all your creative needs.



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	USB Type-C DisplayPort Alternate Mode	✓
Display resolution *	2560 x 1440 pixels	USB Power Delivery (USB PD)	✓
HD type *	Wide Quad HD	USB Power Delivery up to	96 W
Native aspect ratio *	16:9	HDMI *	✓
Display technology *	LCD	HDMI ports quantity	1
Panel type *	IPS	HDMI version	2.1
LED backlight	✓	DisplayPorts quantity	2
Touchscreen *	✗	DisplayPort version	1.4
Display brightness (peak)	400 cd/m ²	Headphone out *	✓
Display brightness (typical)	350 cd/m ²	Headphone outputs	1
Response time *	5 ms	Headphone connectivity	3.5 mm
Response time measurement type	GTG (Gray to Gray)	Built-in KVM switch	✓
Anti-glare screen	✓	HDCP	✓
Screen shape *	Flat	HDCP version	1.4
Contrast ratio (typical) *	1500:1	Ergonomics	
Contrast ratio (dynamic)	3000:1	VESA mounting *	✓
Maximum refresh rate *	144 Hz	Panel mounting interface	100 x 100 mm
Viewing angle, horizontal	178°	Wall mountable	✓
Viewing angle, vertical	178°	Cable lock slot *	✓
Display number of colours *	1.073 billion colours	Cable lock slot type	Kensington
Pixel pitch	0.233 x 0.233 mm	Height adjustment *	✓
Pixel density	109 ppi	Adjustable height (max)	13 cm
Viewable size, horizontal	59.7 cm	Pivot	✓
Viewable size, vertical	33.6 cm	Pivot angle	90 - -90°
Digital horizontal frequency	31 - 223 kHz	Swivelling	✓
Digital vertical frequency	48 - 144 Hz	Swivel angle range	30 - -30°
Display diagonal (metric)	69 cm	Tilt adjustment	✓
High Dynamic Range (HDR) supported	✓	Tilt angle range	23 - -5°
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), DisplayHDR 400		
Colour gamut standard	sRGB, DCI-P3		

Display		Power	
sRGB coverage (typical)	100%	Energy efficiency class (SDR) *	D
DCI-P3 coverage	97%	Energy efficiency class (HDR) *	G
Performance		Energy consumption (SDR) per 1000 hours *	17 kWh
NVIDIA G-SYNC *	✗	Energy consumption (HDR) per 1000 hours *	39 kWh
AMD FreeSync *	✓	Power consumption (typical) *	20 W
VESA Adaptive Sync support	✓	Power consumption (PowerSave)	0.5 W
Flicker-free technology	✓	AC input voltage	100 - 240 V
Low Blue Light technology	✓	AC input frequency	50/60 Hz
Multimedia		Energy efficiency scale	A to G
Number of speakers	2	Weight & dimensions	
RMS rated power	4 W	Width (with stand)	612.2 mm
Built-in speaker(s) *	✓	Depth (with stand)	190.4 mm
Built-in camera *	✗	Height (with stand)	536.1 mm
Design		Weight (with stand)	6.6 kg
Market positioning *	Professional	Width (without stand)	612.2 mm
Product colour *	Silver	Depth (without stand)	46.9 mm
Detachable stand	✓	Height (without stand)	362.9 mm
Feet colour	Silver	Weight (without stand)	4.7 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	691 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	140 mm
USB upstream port type	USB Type-C	Package height	427 mm
Number of upstream ports	2	Package weight	9.4 kg
Number of downstream ports	4	Package type	Box
USB Type-A downstream ports quantity	3	Packaging content	
USB Type-C downstream ports quantity	1	Stand included	✓
		Sustainability	
		Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO, Forest Stewardship Council (FSC) Mix



4711636229456

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.