




Lenovo ThinkSystem ST45 V3 server 960 GB Tower AMD EPYC 4344P 3.8 GHz 16 GB DDR5-SDRAM 500 W



Brand : Lenovo

Product family: ThinkSystem

Product code: 7DH5A02HEA

Product name : ST45 V3

- No OS
- AMD EPYC 4344P (32MB Cache, 3.8GHz)
- 16GB (5200MHz) DDR5-SDRAM (1 x 16) & 960GB SSD
AMD EPYC 4344P (32MB Cache, 3.8GHz), 16GB DDR5-SDRAM (5200MHz), 960GB SSD, LAN (Realtek RTL8111FP), 500W, No OS

[Lenovo ThinkSystem ST45 V3 server 960 GB Tower AMD EPYC 4344P 3.8 GHz 16 GB DDR5-SDRAM 500 W:](#)

The Lenovo ThinkSystem ST45 V3 single-socket tower server is an entry level server ideal for small businesses, home offices, retail, educational institutions and branch offices. The server is based on the AMD EPYC 4004 Series processor (formerly codenamed "Raphael").

This product guide provides essential presales information to understand the ThinkSystem ST45 V3 server, its key features and specifications, components and options, and configuration guidelines. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about the ST45 V3 and consider its use in IT solutions.

Processor		Ports & interfaces	
Processor manufacturer *	AMD	HDMI ports quantity	1
Processor family *	AMD EPYC	HDMI version	2.1
Processor model *	4344P	DisplayPorts quantity	2
Processor frequency *	3.8 GHz	Power cables quantity	1
Processor boost frequency	5.3 GHz	Expansion slots	
Processor cores	8	PCI Express x1 (Gen 3.x) slots	1
Processor cache	32 MB	PCI Express x16 (Gen 3.x) slots	1
Number of processors installed	1	Design	
Thermal Design Power (TDP)	65 W	Chassis type *	Tower
Processor threads	16	Product colour	Black
Memory types supported by processor	DDR5-SDRAM	Performance	
Memory		Trusted Platform Module (TPM)	✓
Internal memory *	16 GB	Trusted Platform Module (TPM) version	2.0
Internal memory type *	DDR5-SDRAM	Software	
Memory slots	2x DIMM	Operating system installed *	✗
ECC	✓	Power	
Memory clock speed	5200 MHz	Redundant power supply (RPS) support *	✗
Memory layout (slots x size)	1 x 16 GB	Power supply *	500 W
Maximum internal memory *	64 GB	Power supply input voltage	115 - 230 V
Storage		Operational conditions	
Total storage capacity *	960 GB	Operating temperature (T-T)	10 - 35 °C
Number of SSDs installed	2	Storage temperature (T-T)	-20 - 60 °C
SSD capacity	480 GB	Operating relative humidity (H-H)	8 - 80%
SSD interface	SATA	Storage relative humidity (H-H)	8 - 90%
RAID support *	✓	Operating altitude	0 - 3050 m
Optical drive type *	✗	Weight & dimensions	
Internal drive bays	2	Width	170 mm
Network		Depth	316 mm
LAN controller	Realtek RTL8111FP	Height	376 mm
Ethernet LAN	✓		
Ethernet interface type	Gigabit Ethernet		

Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Weight	8.56 kg
USB 2.0 ports quantity	4	Technical details	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Supported storage drives form factor (internal)	3.5"
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1		



5054444758855

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2026. Prints or copies of Information are only valid on the printed Publication date