

Epson EB-L690SE Short throw projector 6000 ANSI lumens 3LCD WUXGA (1920x1200) White



Brand : Epson

Product code: V11HB36080

Product name : EB-L690SE

3LCD Technology, RGB liquid crystal shutter, 36 dB, AC 100 - 240 V, 50/ 60 Hz, 440 x 368 x 151 mm, 9.3 kg, White

Epson EB-L690SE. Projector brightness: 6000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 7.54 - 10.55 mm, Aperture range (F-F): 1.8 - 2. Video colour modes: Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation. Serial interface type: RS-232C

Projector		Network	
Screen size compatibility *	2540 - 12700 mm (100 - 500")	Wi-Fi *	✓
Projection distance	1.09 - 7.84 m	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Projection distance (wide)	1.1 - 5.6 m	Miracast	✓
Projection distance (tele)	1.5 - 7.8 m	Apple AirPlay 2 support	✓
Projector brightness *	6000 ANSI lumens	Storage	
Projection technology *	3LCD	Card reader integrated *	✗
Projector native resolution *	WUXGA (1920x1200)	Features	
Contrast ratio (typical) *	5000000:1	Interactive *	✗
Native aspect ratio *	16:10	Noise level (economic mode)	26 dB
Number of colours	1.07 billion colours	HDCP	✓
Keystone correction, horizontal	-30 - 30°	Preset modes	Cinema, Dynamic, Presentation
Keystone correction, vertical	-30 - 30°	Noise level *	36 dB
Light source		Multimedia	
Light source type *	Laser	Built-in speaker(s) *	✓
Service life of light source *	20000 h	RMS rated power	10 W
Service life of light source (economic mode)	30000 h	Design	
Lens system		Market positioning *	Education
Focus *	Manual	Product type *	Short throw projector
Focal length range	7.54 - 10.55 mm	Product colour *	White
Aperture range (F-F)	1.8 - 2	Placement	Ceiling, Desktop
Zoom capability	✓	Cable lock slot	✓
Zoom type	Manual	Cable lock slot type	Kensington
Throw ratio	0.50 - 1.70:1	Power	
Horizontal lens shift range	-20 - 20%	Power source *	AC
Vertical lens shift range	-50 - 50%	Power consumption (typical) *	362 W
Video		Power consumption (standby) *	0.4 W
Analog signal format system *	Not supported	Power consumption (max)	415 W
Full HD *	✓	Power consumption (economy mode)	250 W
3D *	✗	AC input frequency	50/60 Hz
Video colour modes	Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation	AC adapter output voltage	100 - 240 V
Ports & interfaces		Operational conditions	
HDMI version	2.3	Storage temperature (T-T)	-10 - 60 °C
HDBaseT port	✓	Operating relative humidity (H-H)	20 - 80%
USB 2.0 ports quantity	3	Storage relative humidity (H-H)	10 - 90%
USB 2.0 Type-A ports quantity	2		

Ports & interfaces		Weight & dimensions	
USB 2.0 Type-B ports quantity	1	Width	440 mm
Serial interface type *	RS-232C	Depth	368 mm
HDMI ports quantity *	2	Height	151 mm
DVI port *	✗	Weight *	9.3 kg
Network		Packaging content	
Ethernet LAN *	✓	Remote control included *	✓
		Batteries included	✓
		Technical details	
		Warranty period	3 year(s)



8715946737904

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.