

Brother HL-L9470CDN laser printer Colour 2400 x 600 DPI A4

Brand : Brother

Product code: HL-L9470CDN

Product name : HL-L9470CDN

Create premium-quality vivid documents with ease on this enterprise-level A4 colour laser printer

Brother HL-L9470CDN laser printer Colour 2400 x 600 DPI A4:

The HL-L9470CDN is a high-speed, high-volume A4 colour laser printer with a low cost of ownership. The high inbox toner considerably reduces print spend, together with robust build quality and excellent glossy print quality makes the HL-L9470CDN the ideal print partner for your business. With the simple, modern design comes impressive expansion options including a mailbox for sorting documents, staple finisher and additional paper trays adapting to your specific needs. Together with: Integrated NFC reader Expanded external print storage Product Upgrades Secure Print Plus, Barcode Print Plus Gigabit network as standard with optional 2.4/5GHz Wi-Fi module Optional Mailbox and Staple Finisher Fully compatible with 3rd party print management and document management solutions including Kofax, YSoft and more

*Approx declared toner yield value in accordance with ISO/IEC 19798



Printing		Network	
Duplex printing mode	Auto	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Mopria Print Service
Print speed (colour, normal quality, A4/US Letter)	40 ppm	Performance	
Colour *	✓	Internal memory *	1000 MB
Print technology *	Laser	Internal storage capacity	8 GB
Duplex printing *	✓	Built-in processor	✓
Maximum resolution *	2400 x 600 DPI	Processor frequency	800 MHz
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Sound pressure level (printing)	56.5 dB
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm	Sound pressure level (quiet mode)	53 dB
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm	Sound power level (printing)	68.8 dB
Warm-up time	20 s	Sound power level (standby)	30.2 dB
Time to first page (black, normal)	10 s	Design	
Time to first page (colour, normal)	10 s	Market positioning *	Home & office
Watermark printing	✓	Product colour *	White
Secure printing	✓	Built-in display *	✓
N-up printing	2, 4, 6, 9, 16	Display	LCD
Booklet printing function	✓	Colour display	✓
Features		Display diagonal	8.89 cm (3.5")
Maximum duty cycle *	150000 pages per month	Control type	Touch
Recommended duty cycle	0 - 15000 pages per month	Power	
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (printing) *	770 W
Number of print cartridges *	4	Power consumption (max)	1080 W
Page description languages *	BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7, XPS	Power consumption (ready)	85 W
Number of PCL fonts	73	Power consumption (off)	0.04 W
Number of PostScript fonts	66	Energy Star Typical Electricity Consumption (TEC)	0.662 kWh/week
		AC input voltage	220 - 240 V
		AC input frequency	50/60 Hz

Features		System requirements	
Number of bitmap fonts	12	Windows operating systems supported	✓
Linear (1D) barcodes supported	Codabar, Code 128, Code 128A, Code 128B, Code 128C, Code 39, Code 93, EAN 128, EAN-13, EAN-8, GS1 DataBar, GS1 DataBar Expanded, GS1 Databar Limited, ISBN, MSI, PDF417, POSTNET, UPC-A, UPC-E	Mac operating systems supported	✓
		Linux operating systems supported	✓
Country of origin	China	Other operating systems supported	ChromeOS
Input & output capacity		Operational conditions	
Total number of input trays *	2	Operating temperature (T-T)	10 - 32 °C
Total input capacity *	620 sheets	Storage temperature (T-T)	0 - 40 °C
Total output capacity *	250 sheets	Operating relative humidity (H-H)	20 - 80%
Paper tray 1 input capacity	520 sheets	Storage relative humidity (H-H)	10 - 90%
Multi-Purpose tray	✓	Weight & dimensions	
Multi-Purpose tray input capacity	100 sheets	Width	628 mm
Paper handling		Depth	634 mm
Maximum ISO A-series paper size *	A4	Height	557 mm
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Weight	29.5 kg
		Packaging data	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package width	557 mm
ISO B-series sizes (B0...B9)	B5, B6	Package depth	628.2 mm
Envelopes sizes	C5, Com-10, DL	Package height	633.5 mm
Custom media width	76.2 - 215.9 mm	Package weight	34.7 kg
Custom media length	127 - 355.6 mm	Packaging content	
Paper tray media weight	60 - 230 g/m ²	Cartridge(s) included	✓
Multi-Purpose Tray media weight	60 - 230 g/m ²	Included cartridge capacity (black)	12000 pages
Auto Document Feeder (ADF) media weight	60 - 230 g/m ²	Included cartridge capacity (CMY)	9000 pages
Ports & interfaces		Bundled software	Brother iPrint&Scan, Brother Utilities, Easy setup
Direct printing *	✓	Logistics data	
USB port *	✓	Pallet gross height	14.2 cm
USB 2.0 ports quantity	2	Pallet gross weight	156.8 kg
USB connector	USB Type-A / USB Type-B	Master (outer) cases per pallet	4 pc(s)
Optional connectivity	Wireless LAN	Layers per pallet	2 pc(s)
Network		Products per pallet	4 pc(s)
Wi-Fi *	✗	Technical details	
Ethernet LAN *	✓	Master (outer) cases per pallet layer	2 pc(s)
Cabling technology	10/100/1000Base-T(X)	Pallet type	800 x 1200 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Other features	
Wi-Fi Direct	✓	Spare part retention	5 year(s)
Near Field Communication (NFC)	✓		
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-PEAP, EAP-TLS, EAP-TTLS, SMTP-AUTH, SNMPv3, SSL/TLS, WPA-PSK, WPA2-PSK		
	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/ v3, ICMP, Web Services (Print), CIFS client, SNTTP client, LDAP		
Supported network protocols (IPv4)			

Network	
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, LDAP



4977766813976



0012502666028



012502666028

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.