

TP-Link Smart Floodlight Camera

Brand : TP-Link

Product code: TAPO C720

Product name : Smart Floodlight Camera

- 2800-Lumen Ultra-Bright Floodlight: Tapo C720's powerful, fully adjustable floodlight and color night vision sees up to 30 feet away, so you can sleep soundly knowing your surroundings are safe
 - 2K QHD Live View: No blind spots, only sharp details. See every inch of your home with the wide 150° field of view, enhanced by the high-definition 2K QHD resolution
 - Motion-Activated Floodlight: With hawk-like precision in darkness, C720 detects transient motions, activating a floodlight over a sweeping 270° area
 - Adjustable Floodlight Control: From setting schedules to adjusting brightness and activation triggers, the Tapo app is your one-stop shop for smart floodlight customization
- Smart Floodlight Camera



Performance		Network	
Type *	IP security camera	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Placement supported *	Outdoor	Live view	✓
Connectivity technology *	Wired & Wireless	Storage	
Day/night mode	✓	Card reader integrated	✓
Built-in light	✓	Compatible memory cards	MicroSD (TransFlash)
Luminous flux	2800 lm	Maximum memory card size	512 GB
Colour temperature	5000 K	Security	
Design		Built-in siren	✓
Mounting type *	Wall	Siren noise level	93 dB
Product colour *	White	Video motion detection	✓
International Protection (IP) code	IP65	Active tampering alarm	✓
Camera		Motion sensor	✓
Lens viewing angle, horizontal	153°	Motion sensor technology	Passive infrared (PIR) sensor
Lens viewing angle, vertical	77.6°	Human and vehicle targets classification	✓
Lens viewing angle, diagonal	153°	Power	
Image sensor		Power source type *	DC
Number of sensors	1	AC input voltage	110/240 V
Optical sensor size	25.4 / 3 mm (1 / 3")	AC input frequency	50/60 Hz
Sensor type *	CMOS	Operational conditions	
Lens system		Operating temperature (T-T)	-20 - 45 °C
Zoom capability	✓	Storage temperature (T-T)	-20 - 60 °C
Digital zoom	12x	Operating relative humidity (H-H)	10 - 90%
Number of lenses *	1	Storage relative humidity (H-H)	0 - 90%
Focal length range	2.1 mm	System requirements	
Maximum aperture number	2.1	Mobile operating systems supported Android, iOS	

Night vision		Weight & dimensions	
Night vision *	✓	Width	151 mm
Night vision distance	29.9 m	Depth	145.6 mm
LED type	IR	Height	151 mm
Infra-red wavelength	850 nm	Packaging data	
Video		Package width	256.5 mm
Maximum resolution *	2560 x 1440 pixels	Package depth	356.5 mm
Video compression formats	H.264	Package height	179 mm
Frame rate	15 fps	Package weight	1.45 kg
Audio		Packaging content	
Built-in speaker(s)	✓	Number of cameras *	1
Audio system	2-way	Mounting kit	✓
Built-in microphone	✓	Mounting brackets included	✓
Network		Screws included	✓
Supported network protocols	SL/TLS WPA/WPA2-PSK/WPA3		
Wi-Fi *	✓		



4897098688076



4895252500219



8885020625479

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.