


ASUS ATS-750G power supply unit 750 W 20+4 pin ATX ATX Black

Brand : ASUS

Product code: 90YE04A1-B0NC00

Product name : ATS-750G



- Dual ball fan bearings that can last up to twice as long as sleeve bearing designs.
- An 80 Plus Gold Certification is the result of low-ESR electrolytic capacitors and other premium components.
- Etched cables can be bent easily during installation.

750W ATS Gold Gaming Power Supply (80 Plus Gold Certified, Low-ESR Electrolytic Capacitors, Dual Ball Bearing Fan, DIY-Friendly CPU Power Connector)

ASUS ATS-750G. Total power: 750 W, AC input voltage: 110 - 240 V, Power Factor Correction (PFC) type: Active. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 55 cm, PCI Express power cable length: 67.5 cm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, Cooling type: Active, Number of fans: 1 fan(s). Cables included: AC, PCIe, SATA, Packaging content: Power Cord x 1 Motherboard Power Cable x 1 (550mm) CPU 1-to-2 Cable x 1 (650+100mm) PCI-E 1-to-2...

Power		Ports & interfaces	
Total power *	750 W	Cabling type	Fully-Modular
AC input voltage *	110 - 240 V	Performance	
Power Factor Correction (PFC) type	Active	80 PLUS certification *	80 PLUS Gold
Combined power (+3.3V)	100 W	Purpose *	PC
Combined power (+12V)	750 W	Power supply unit (PSU) form factor *	ATX
Combined power (+5V)	100 W	Bearing technology	Ball bearing
Combined power (-12V)	3.6 W	Mean time between failures (MTBF)	120000 h
Combined power (+5Vsb)	15 W	Design	
Max output current (+3.3V)	20 A	Product colour	Black
Max output current (+12V)	62.5 A	Cooling type	Active
Max output current (+5V)	20 A	Number of fans	1 fan(s)
Max output current (-12V)	0.3 A	On/off switch	✓
Max output current (+5Vsb)	3 A	Packaging content	
Efficiency	92%	Cables included	AC, PCIe, SATA
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Packaging content	Power Cord x 1 Motherboard Power Cable x 1 (550mm) CPU 1-to-2 Cable x 1 (650+100mm) PCI-E 1-to-2 Cable x 1 (675+100mm) SATA 1-to-3 Cable x 1 (400+120+120mm) Peripheral 1-to-3 Cable x 3 (400+120+120mm) Chassis Screws Package x 1 Quick Start Guide x 1
Ports & interfaces		Certificates	
Motherboard power connector *	20+4 pin ATX	Compliance certificates	RoHS
Motherboard power cable length	55 cm	Weight & dimensions	
Number of SATA power connectors	3	Width	150 mm
Peripheral (Molex) power connectors (4-pin) *	3	Depth	140 mm
PCI Express power connectors (6+2 pin)	2	Height	86 mm
PCI Express power cable length	67.5 cm	Weight	1.53 kg
CPU power connector (4+4 pin)	✓	Packaging data	
CPU power cable length	65 cm	Package width	250 mm
ATX power connector (20+4 pin)	✓	Package depth	180 mm
		Package height	115 mm
		Package weight	2.78 kg

Packaging data

Package type

Box



4711387870020

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.