

Brother HL-L5000D laser printer 1200 x 1200 DPI A4

Brand : Brother

Product code: HL-L5000D

Product name : HL-L5000D

- Fast print speeds of up to 40ppm with automatic 2-sided printing
 - Combined paper input of 300 sheets
 - High-yield replacement cartridges - optional high yield 8,000 (approx) page toner cartridge
 - 1 line, 16 character backlit LCD display
 - USB 2.0 and optional parallel connectivity
 - Buyers Lab 2016: Winner of Summer Pick Award for Outstanding Printer for Small Workgroups
- High-volume printing, designed for the busy office

Brother HL-L5000D laser printer 1200 x 1200 DPI A4:

Built for small business users, the HL-L5000D delivers stunning results and high print speeds every time. The added benefit of optional high-yield toner cartridges makes this machine the ideal choice for your office.

Brother HL-L5000D. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 50000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Duplex printing. Display: LCD, Product colour: Graphite



Printing		Performance	
Duplex printing mode	Auto	Built-in processor	✓
Colour *	✗	Processor family	ARM Cortex
Print technology *	Laser	Processor frequency	800 MHz
Duplex printing *	✓	Sound pressure level (printing)	52 dB
Maximum resolution *	1200 x 1200 DPI	Sound pressure level (quiet mode)	50 dB
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm	Sound power level (standby)	34 dB
Warm-up time	4.8 s	Design	
Time to first page (black, normal)	7.2 s	Product colour *	Graphite
N-up printing	2, 4, 9, 16, 25	Built-in display *	✓
Economical printing	✓	Display	LCD
Features		Display number of lines	1 lines
Maximum duty cycle *	50000 pages per month	Power	
Recommended duty cycle	0 - 3500 pages per month	Power consumption (printing) *	640 W
Printing colours *	Black	Power consumption (standby)	32 W
Number of print cartridges *	1	Power consumption (PowerSave)	390 W
Page description languages *	Epson FX, IBM ProPrinter, Microsoft XPS, PCL 6, PDF 1.7, PostScript 3	Power consumption (off)	0.04 W
Country of origin	Vietnam	AC input frequency	50 - 60 Hz
Input & output capacity		Operational conditions	
Total number of input trays *	1	Operating temperature (T-T)	10 - 32 °C
Total input capacity *	250 sheets	Storage temperature (T-T)	0 - 40 °C
Total output capacity *	150 sheets	Operating relative humidity (H-H)	20 - 80%
Paper input type	Cassette, Paper tray	Storage relative humidity (H-H)	35 - 85%
Multi-Purpose tray	✓	Weight & dimensions	
Multi-Purpose tray input capacity	50 sheets	Width	443 mm
Paper handling		Depth	375 mm
		Height	485 mm
		Weight	11 kg

Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package weight	13.2 kg
Paper tray media types *	Plain paper, Recycled paper, Thick paper, Thin paper	Packaging content	
Multi-purpose tray media types	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Drivers included	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Quick start guide	✓
Non-ISO print media sizes	Executive, Folio, Letter, Legal	Logistics data	
Custom media width	76.2 - 215.9 mm	Harmonized System (HS) code	84433210
Custom media length	127 - 355.6 mm	Pallet gross height	16.5 cm
Paper tray media weight	60 - 120 g/m²	Pallet gross weight	226 kg
Multi-Purpose Tray media weight	60 - 200 g/m²	Master (outer) cases per pallet	16 pc(s)
Duplex media weight	60 - 120 g/m²	Layers per pallet	4 pc(s)
		Products per pallet	16 pc(s)
Ports & interfaces		Technical details	
Standard interfaces	Parallel, USB 2.0	Master (outer) cases per pallet layer	4 pc(s)
USB port *	✓	Pallet type	1200 x 1000 mm
USB 2.0 ports quantity	1	Other features	
Network		Spare part retention	5 year(s)
Network ready	✗		
Wi-Fi *	✗		
Ethernet LAN *	✗		
Mobile printing technologies	Not supported		



0012502641742



012502641742



4977766753289



5715063339008



5715328192973

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.