

Ariete 4632 Air fryer and oven Vintage, 1400W, 2in1, Capacity 16L, Accessories included, Timer 60 minutes, Double glass, Beige

Brand : Ariete

Product code: 00C463203AR0

Product name : 4632 Air fryer and oven Vintage, 1400W, 2in1, Capacity 16L, Accessories included, Timer 60 minutes, Double glass, Beige

4632 Air fryer and oven Vintage, 1400W, 2in1, Capacity 16L, Accessories included, Timer 60 minutes, Double glass, Beige

Ariete 4632 Air fryer and oven Vintage, 1400W, 2in1, Capacity 16L, Accessories included, Timer 60 minutes, Double glass, Beige. Product type: Hot air fryer, Capacity: 16 L, Temperature (min): 80 °C. Construction type: Single, Product colour: Beige, Control type: Rotary. Power: 1400 W. Width: 340 mm, Depth: 340 mm, Height: 340 mm. Package width: 405 mm, Package depth: 355 mm, Package height: 365 mm



DIMENSIONI
L 34 cm x P 34 cm x A 34 cm



Features		Power	
Capacity *	16 L	Auto power off	✓
Oil content	0 L	Weight & dimensions	
Product type *	Hot air fryer	Width	340 mm
Frying function *	✓	Depth	340 mm
Baking function *	✓	Height	340 mm
Adjustable thermostat	✓	Weight	4.98 kg
Temperature (min)	80 °C	Cooking compartment width	26.8 cm
Temperature (max)	230 °C	Cooking compartment depth	26.8 cm
Digital timer	✓	Cooking compartment height	22 cm
Timer duration	60 min	Packaging data	
Design		Package width	405 mm
Construction type *	Single	Package depth	355 mm
Appliance placement	Freestanding	Package height	365 mm
Product colour *	Beige	Package weight	8.2 kg
Automatic lid release	✗	Packaging content	
Detachable, hinged lid	✓	Baking tray	✓
Removable bowl *	✓	Accessories included	3 cestelli forati in acciaio inox, cestello rotante in acciaio inox, griglia in acciaio inox, set girarrosto in acciaio inox e leccarda
Cord storage	✓	Sustainability	
Non-slip feet	✓	Compliance certificates	CE
Viewing window	✓	Other features	
Cool wall housing	✓	Warranty period	2 year(s)
Anti-odor filter	✗	Logistics data	
Control type *	Rotary	Products per pallet	20 pc(s)
Dishwasher-proof parts *	✗	Master (outer) case gross weight	8.2 kg
Planetary rotation	✗		

Indication		Logistics data	
Built-in display *	✗	Products per master (outer) case	1 pc(s)
Indication light	✓	Products per intermodal container (20ft)	365 pc(s)
Temperature-ready indicator	✓	Products per intermodal container (40ft)	858 pc(s)
Ready alarm	✓	Products per intermodal container (40ft, HC)	1000 pc(s)
Power			
Power *	1400 W		



8003705122437

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.