



LevelOne 5-Port Fast Ethernet Industrial Switch, -40°C to 75°C

Brand : LevelOne

Product code: IFS-0501

Product name : 5-Port Fast Ethernet Industrial Switch, -40°C to 75°C

5 x RJ-45, 10/100Mbps, 460 g

LevelOne 5-Port Fast Ethernet Industrial Switch, -40°C to 75°C:

The LevelOne IFS-0501 Industrial Fast Ethernet Switch provides 5 ports at 10/100M TX to enable high speed network in mission-critical environments. With an industrial standard DIN-rail mount, this switch can be installed in a cabinet, and clearly visible status LEDs provide simple monitoring of port link activity. The switch is housed in a solid metal case rated at IP30, keeping it safe from dust, vibration, heat and humidity, while an operational temperature range of -40°C to +75°C makes it suitable for deployment in almost any environment.

LevelOne 5-Port Fast Ethernet Industrial Switch, -40°C to 75°C. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 1024 entries, Switching capacity: 1 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3u, IEEE 802.3x. Wall mountable



Management features		Performance	
Switch type *	Unmanaged	Maximum data transfer rate	100 Mbit/s
Ports & interfaces		Power	
Basic switching RJ-45 Ethernet ports quantity *	5	Output voltage	24 V
Basic switching RJ-45 Ethernet ports type *	Fast Ethernet (10/100)	Output current	1 A
Network		Power consumption (typical)	3.76 W
Networking standards *	IEEE 802.3, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE)	
10G support *	✗	Power over Ethernet (PoE) *	✗
Copper ethernet cabling technology	10BASE-T, 100BASE-TX	Operational conditions	
Full duplex	✓	Operating temperature (T-T)	-40 - 75 °C
Flow control support	✓	Storage temperature (T-T)	-40 - 85 °C
Auto MDI/MDI-X	✓	Operating relative humidity (H-H)	5 - 95%
Auto-negotiation	✓	Storage relative humidity (H-H)	5 - 95%
Data transmission		Weight & dimensions	
Switching capacity *	1 Gbit/s	Width	36 mm
MAC address table *	1024 entries	Depth	105 mm
Store-and-forward	✓	Height	142 mm
Packet forwarding rate (100 Mbps)	148000 pps	Weight	470 g
Packet forwarding rate (10 Mbps)	14880 pps	Packaging content	
Packet buffer memory	1 MB	Quick start guide	✓
Design		Packaging data	
Rack mounting *	✗	Wall mounting kit	✓
Product colour	Black	Terminal block included	✓
Housing material	Metal	Package type	Box
LED indicators	Link, Power	Package width	65 mm
International Protection (IP) code	IP30	Package depth	165 mm
Wall mountable	✓	Package height	215 mm
Safety	EN60950-1	Package weight	180 g

Performance		Certificates	
Internal memory	1 MB	Certification	FCC, CE, RoHS, VCCI EN55022/24 EN55011 EN50121-3-2 EN50121-4 (pending) EN50155 (pending) EN60068-2-6 EN60068-2-27 EN60068-2-32
Logistics data			
Country of origin		Taiwan	
Harmonized System (HS) code		85176990	



4015867192283

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.