



Viewsonic PA503W data projector Standard throw projector 3800 ANSI lumens DMD WXGA (1280x800) White

Brand : Viewsonic

Product code: PA503W

Product name : PA503W

3600 Lumen, DLP, WXGA, 16:9, 30-300", 100-240V, 50/60Hz, 396x110x218mm, 2.2 kg, White

[Viewsonic PA503W data projector Standard throw projector 3800 ANSI lumens DMD WXGA \(1280x800\) White:](#)


Description

The ViewSonic PA503W price-performance projector features 3,600 lumens, native WXGA 1280x800 resolution, and an intuitive, user-friendly design. Exclusive SuperColor technology offers a wider color range for lifelike image projection. The PA503W also features extensive connectivity including HDMI, 2 x VGA in, Composite Video, 1 x VGA output, and Audio in/out. An energy-saving SuperEco feature reduces power consumption by up to 70%, and extends the lamp life by up to 10,000 hours. With advanced audiovisual features, flexible connectivity options, and an affordable price, the PA503W is ideal for use in education and small business environments.



Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Wi-Fi *	✗
Projection distance	1 - 10.98 m	Storage	
Projector brightness *	3800 ANSI lumens	Card reader integrated *	✗
Projection technology *	DMD	Features	
Projector native resolution *	WXGA (1280x800)	Interactive *	✗
Contrast ratio (typical) *	22000:1	Noise level (economic mode)	27 dB
Number of colours	1.07 billion colours	HDCP	✓
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD)	✓
Vertical scan range	23 - 120 Hz	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Keystone correction, vertical	-40 - 40°	Number of OSD languages	22
Matrix size	1.65 cm (0.65")	Noise level *	31 dB
Light source		Multimedia	
Light source type *	Lamp	Built-in speaker(s) *	✓
Service life of light source *	5000 h	RMS rated power	2 W
Service life of light source (economic mode)	15000 h	Design	
Lamp power	200 W	Market positioning *	Presentation
Lamps quantity	1 lamp(s)	Product type *	Standard throw projector
Lens system		Product colour *	White
Focus *	Manual	Placement	Desktop, Ceiling
Focal length range	22 - 24.1 mm	Display	
Aperture range (F-F)	2.56 - 2.68	Built-in display *	✗
Zoom capability	✓		
Zoom ratio	2.0:1		
Throw ratio	1.55-1.7		
Offset	100%		
Video			
Analog signal format system *	NTSC, PAL, SECAM		

Video		Power	
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)	Power source *	AC
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (typical) *	260 W
Ports & interfaces		Power consumption (standby) *	0.5 W
		AC input voltage	100-240 V
HDMI connector type	Full-size	AC input frequency	50 - 60 Hz
HDMI version	1.4	Operational conditions	
Mini-USB 2.0 ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	Weight & dimensions	
PC Audio in	✓	Width	294 mm
PC Audio out	✓	Depth	218 mm
VGA (D-Sub) ports quantity *	3	Height	110 mm
HDMI ports quantity *	1	Weight *	2.22 kg
Composite video in *	1	Package width	365 mm
DVI port *	✗	Package depth	300 mm
Mobile High-Definition Link (MHL)	✗	Package height	188 mm
AC (power) in	✓	Package weight	3.24 kg
Network		Packaging content	
Smart TV *	✗	Remote control included *	✓
Ethernet LAN *	✗	Cables included	AC, VGA
		Manual	✓
		Logistics data	
		Pallet gross length	74 cm
		Pallet gross width	90 cm
		Pallet gross height	2.21 m
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907904918



766907904918

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.